

Catalog Index

HIP & KNEE REVISION 28 - 39

SHOULDER & ELBOW 57 - 65

SMALL BONE 66 - 75

FREETRIAL ON MOST INSTRUMENTS

INSTRUMENT EVALUATION POLICY

All instruments are available for a no-charge 2-week evaluation (excluding extraction instruments—which are available to rent. There is a pad replacement charge with all Hip Positioners.

INSTRUMENT RENTAL

All Innomed, Inc. implant extraction instruments are available for rental on a per-case basis. Please call for more information.

INNOMED WARRANTY

One year for defective merchandise. Our instruments are designed for a specific purpose and should be used accordingly. Warranty is void if instrument has not been maintained properly or used for its intended purpose.

Basic Anterior Approach Instrument Set

Chosen by Edward J. Whelan III. MD

A Basic Starter Set for the Direct Anterior Approach



Includes (2) #6162 and (1) of each of the other instruments shown below

Blunt #1576-B

Whelan Large Anterior Hip Weitlaner Retractor with Ergonomic Handle



Designed for self-retaining exposure during anterior approach THA

Whelan Femoral Neck Elevator

Designed by Edward J. Whelan, III, MD

Elevator has long tines to rest on the stronger bone at the base of the neck and calcar, and also fits well over the lesser trochanter and iliopsoas tendon for femoral broaching

Whelan Narrow Hohmann Retractor

Designed by Edward J. Whelan, III, MD Retractor has a large gentle right angle curve with sharp tip, for retraction of structures anterior to the acetabulum in the anterior approach to total hip

#3414 #7116

Modified Anterior Hip Retractor

Trochanteric Retractor helps to expose femoral canal and helps protect gluteal muscles

Modified Deep Hohmann Retractor

Can be placed inside the capsule to help expose femoral neck for release and removal Concave blade helps to expose the femoral canal in smaller patients if the offset of P/N 6422 is too large.

#6162

O'Reilly Direct Access Anterior **Broaching Retractor**

Designed by Michael P. O'Reilly, MD

Designed for use in obtaining improved proximal exposure for femoral canal preparation during minimally invasive direct anterior THA





Single Prong Soft Tissue Retractors Helpful in anterior hip arthroplasty





Single Prong Acetabular Retractors Helpful in anterior hip arthroplasty














Jeffers Hip Retractor Designed by Andrew Jeffers, MD For use during the anterior approach, this retractor is



Offset Narrow

Retractor-Right

Hohmann

#3009-R

Offset Narrow

Retractor-Left

Hohmann

#3009-L

Bozeman Direct Anterior THA Femoral Elevator Designed by Daniel M. Gannon, MD

Designed to elevate the femur anteriorly, providing exposure to allow broaching of the femoral canal and final placement of the femoral component, during direct anterior approach THA





A self-retaining frame and retractor system designed for use during anterior total hip arthroplasty, the blades help retract the hip capsule and musculature, permitting an unobstructed view of the acetabulum while freeing an assistant



Alvi Modified Hohmann Retractor

Features a tapered, winged blade for gentler soft tissue retraction


Designed by Hasham Alvi, MD

Designed for use during minimally invasive anterior hip replacement surgery, the retractor is placed through the capsule, into the femoral head, allowing for retraction of the rectus femoris



Femoral Neck Elevator-Long Prong

#3006-01





5

2024

and broaching


ISA MADE

#5838

prosthesis implantation, helping to ensure a dry cancellous bed for cementation, and thus aid in prosthesis long-term survival.



Wixson Anterior Suspension Hook System Designed by Richard L Wixson, MD



Extension Set for Anterior THR Tables



Designed by David Ott, MD
Designed to add lift
to the femoral hook
during an anterior
THR case and be
able to remove
without breaking the
sterile field

Set of Two Sizes #8004-00
Also Available Individually





Powers Double Bent Curette Set Designed by Mark Powers, MD

The bayonet curettes help allow for proper lateralization and seating of the broach



Kenerly Femoral Neck Cutting Guide

Designed by J. Lex Kenerly, III, MD


Designed for use during the anterior approach for THA to help determine the femoral neck osteotomy location, The guide is placed on the femoral neck and adjusted using the intraoperative C-arm image to visualize and compare to the pre-op templating, providing an excellent location for the initial femoral neck osteotomy





Powers Femoral Sounds Designed by Mark Powers, MD

Allows the surgeon to gently identify the canal of a long bone as well as its width (isthmus) prior to inserting a device, helping to identify intraoperative occult fractures and to minimize possible intraoperative fractures before broaching helps



DAA Canal Finder Rasp

Designed to help begin preparation of the femoral canal prior to stem broaching — features a large handle with a striking plate end USA MADE #C1026

Curved Canal Rasps Design modification by Michael Messieh, MD

of original design by Anthony Unger, MD. Designed for preparation of the femoral canal for insertion of a cemented or cementless hip stem, the mutiple diameters serve to prepare the femoral canal after the initial 5 mm is used to find the curvature of the canal





Unger Canal Finder Rasps

Designed to sound the femoral canal prior to stem broaching, especially useful to help start the broach path during the direct anterior approach







The deep offset design allows the surgeon to line up with canal entry and the tip angled slightly upwards to help prevent femoral protrusion



T-Handle Femoral Canal Finders

Designed to sound the femoral canal prior to stem broaching, especially useful







Bone Hooks Designed by R.L. Wixson, MD



Designed for proximal femoral elevation in total hip replacement or in other surgery with a similar need for bone manipulation — the instrument has a blunt tip and a large handle to accommodate the use of two hands if desired





Designed to aid in dislocating a femoral stem while helping to prevent damage to the trunion, the coated end helps to prevent from marring component surfaces and can also be used as a bone hook, and for femoral elevation





Designed by William C. Kim, MD

Designed to help avoid perforation of the femoral canal while helping to give an accurate assessment of canal orientation for trial broaching during anterior approach THA





Wertz Anterior THA Femoral Elevator Designed by Michael P. Wertz, MD

Helps deliver the femur out of the incision during anterior total hip arthroplasty inserted into the femoral canal for elevation, the knurled underside helps to reduce the chance of slippage



FREE TRIAL ON MOST INSTRUMENTS



O'Reilly Femoral Head Extractor Designed by Michael P. O'Reilly, MD Small version designed modification by Tarum Bhargava, MD Designed to help remove the femoral head during THA, MIS Direct Anterior THA, and hip fracture surgery/hemiarthroplasty, , the perpendicular osteotome Large #3675 blades help provide purchase in osteoporotic bone, while the central osteotome provides a visual estimate of the instrument's depth of penetration to avoid acetabular injury with use during hemiarthroplasty Small #3674 ISA MADE **Huddleston Femoral Head Removers** Designed to help lever a Sharp #3608 femoral head out of the acetabulum in standard and anterior approach total hip replacement USA MADE **Hibbs Retractors** Designed for soft tissue retraction by either the toothed end or curved handle end Medium #6235 Standard #6240 **Right Angle Posterior Capsular** Retractor without Teeth The large, curved end is very useful with large patients #7180-01



Extra Deep Hip Retractors

Extra Deep Mueller-type Femoral Neck Elevator modified by Tom Eickmann, MD

For hip surgery with large patients, and when extra large instruments are desired for increased depth and leverage — all extra deep retractors are 2" (5 cm) longer than their standard version



Extra Deep Mueller-type Femoral Neck Elevator #3418

Extra Deep Modified Hohmann #4535-01

Extra Deep Long Narrow Blunt Hohmann #4540-01

Extra Deep Modified Blunt Hohmann #4550-01

Extra Deep Hohmann #4558-01

Extra Deep Single Prong Soft Tissue #6450-01

Extra Deep Single Prong Soft Tissue with Short Tip #6450-04

Extra Deep Single Prong Acetabular #6570-01

Extra Deep Modified Wide Hohmann #6595-01

Extra Deep Bent Hohmann #7115-03

Extra Deep Large Cobra #7630-03

Modular Weights

Used to help hold retractors in place


USA MADE


2.0 lbs. (.91 kg) #3430-02




2.5 lbs. (1.13 kg) with attaching hook #3430-03

1.5 lbs. (.68 kg) #3430-01





9





ISA MADE

placed on the anterior wall

of the acetabulum

Cobra Retractors


A general purpose instrument for use around the femur and acetabulum

The OrthoLucent™ version is made of a strong, lightweight carbon fiber PEEK composite material, which is completely radiolucent, helps to prevent from marring component surfaces, and can be steam sterilized.













Harwin Modified Cobra Retractor

Designed by Steven F. Harwin, MD, FACS

Designed with a long handle and obtuse angle provide ergonomic leverage — especially helpful for use with obese patients - the wide, concave blade design allows for enhanced exposure and is especially useful in anterior hip surgery with the placement of reamers, and to elevate and expose the proximal femur




WWW.INNOMED.NET









Designed for acetabular

USA MADE


exposure during total hip surgery








Minimal Incision Total Hip Retractors Designed By Wayne M. Goldstein, MD

Designed for Minimal Incision Total Hip Surgery using the standard posterior lateral approach










Posterior-Inferior Retractors Designed by Wayne M. Goldstein, MD Designed for total hip surgery, the retractor is placed with the point at 6 o' clock and the retractor's axilla resting on the ischium. while the remaining blade of is used to retract the remaining capsule from the posterior lip of the acetabulum IICA MADE Small Right #7625-01 **Small Left** #7625-02 Medium Right #7925.NĬ Large Right #7620-01 Large Left #7620-02 Medium Left #7925-02





































Designed to elevate





LISA MADE

hand or by pressing into the waist

量



Self-Retaining Hip Surgery Retractor System

Designed by S. David Stulberg, MD

Helps to free assisting personnel while providing excellent exposure during hip arthroplasty and hip fracture surgery

Square Frame



Standard Frame



Double Locking Standard Frame

Designed by Matthew P. Lorei, MD

Designed with a second sliding blade lock for enhanced stability, especially in obese patients

12.75" x 9.5" #7430

Wedges for Frames

Help stabilize retractor blades



4 mm Wedge #7450-89

8 mm Wedge #7450-99

Mobile Body Assemblies

Position retractors exactly where you want them!

Moveable-peg system allows for precise interoperative retractor positioning adjustments

Works with any existing frame system



Charnley-Type Frame

Can be used with any blade

Chamley-type Frame Sets include (1) Frame, plus (1) #7445-02 Rounded 2" Chamley Blade, (1) #7450-02 Standard 2" Blade, and (1) #7455-02 Chamley-type 2" Blade



Retractor Blades for Charnley-type Frame

Blade Width: 1

2" Blade Depth #7455-02

3" Blade Depth #7455-03

4" Blade Depth #7455-04

6" Blade Depth #7455-06

Charnley-type Frame Standard Set #7445 Charnley-type Frame Narrow Set #7445-01B

> Chamley-type Frames Available Individually: 12" x 9.5" Standard #7445-01 10" x 9.5" Narrow #7445-01B-01



Rounded **Retractor Blades for Charnley-type Frame**

Blade Width: 1

2" Blade Depth #7445-02

2.5" Blade Depth #7445-03

3.5" Blade Depth #7445-04

WWW.INNOMED.NET

Standard Blades Handle Length: 6"

Blade Width: 1"

2" Blade Depth #7450-02

3" Blade Depth #7450-03

4" Blade Depth #7450-04

5" Blade Depth #7450-05 6" Blade Depth #7450-06



Standard Blades with T-Handle

T-handle helps prevent hand from slipping Blade Width: 1"

2" Blade Depth #7450-02T

3" Blade Depth #7450-03T

4" Blade Depth #7450-04T

5" Blade Depth #7450-05T 6" Blade Depth #7450-06T

Blades with Teeth



2" Blade Depth #C1013

4" Blade Depth #C1013-01



5-Prong Rake Blade

Blade Width: 1

1" Blade Depth #7450-10B

Wide Standard Blades

Blade Width: 2"

2" Blade Depth #7450-W-02

3" Blade Depth #7450-W-03

4" Blade Depth #7450-W-04

5" Blade Depth #7450-W-05



Extra Wide Blades

Designed by Andrew D. Bunta, MD Blade Width: 2.75"

2.5" Blade Depth #7460-01

3.25" Blade Depth #7460-02



Long Standard Blades Handle Length: 8"

2" Blade Depth #7451-02

3" Blade Depth #7451-03

4" Blade Depth #7451-04 5" Blade Depth #7451-05

6" Blade Depth #7451-06

Radiolucent Standard Blades

Completely radiolucent with annodized aluminum handles and delrin blades

2" Blade Depth #7449-02R

Blade Width: 1"

3" Blade Depth #7449-03R

4" Blade Depth #7449-04R

Extra Large Standard Blades

Designed by Andrew D. Bunta, MD Help retract soft tissue in larger patients Blade Width: 1"

2" Blade Depth #7470-02

3" Blade Depth #7470-03

4" Blade Depth #7470-04

Toy Anterior **Modified Hibbs Blade**

Designed by Patrick Toy, MD

Designed to separate/protect the medial (rectus femoris) and lateral (tensor fascia lata) soft tissues Blade Width: 1"

3.875" Blade Depth #7453 2.75" Blade Depth #7454







Hohmann Style Blades

4" Blade Depth #7450-08A

6" Blade Depth #7450-08B

量


Stainless Steel and Radiolucent Arm Ratchet Frame Assembly

Designed for self-retaining wound exposure, the arms and blades of the OrthLucent™ version are radiolucent and can be kept in place while using image intensification or taking an x-ray











Rogozinski Reverse Angle Retractors

Alvi Beckman Self-Retaining Retractor

Designed by Chaim Rogozinski, MD






Deep Meyerding Retractor with Ergonomic Handle

A self-retaining soft tissue retractor for use in hip, knee, and shoulder surgery

MADE EXCLUSIVELY FOR INNOMED IN GERMANY






Romanelli Deep Gelpi Retractor


Designed by Ron Romanelli, MD

Offers the versatility and ability to be used on minimally invasive total hip replacements anteriorly or posteriorly, and can also be useful in spine surgery





- ▶ The ends of the retractor have dull tips to help avoid soft tissue damage
- Wider separation occurs at the deep capsule level
- Holds the muscle out of the way while retracting the capsule
 Also helpful in MIS Spine approaches







Kenerly Double Parallel Femoral Neck Disc Grasper



Designed to remove the central disc of a double, parallel cut femoral neck osteotomy when performing THA



Namba Bone Graft Slide

Designed by Robert S. Namba, MD

Designed to efficiently guide allograft material into the acetabulum, helping to reduce waste of expensive allograft material by providing a holding trough and slide for effective, directed delivery





Tissue Protector

Helps protect tissue when a straight reamer is being used

ISA MADE

2.5 cm #5480-02



Clear Vision Debris Shield

Designed by R. Barry Sorrells, MD

Provides a degree of restriction from flying debris or liquid during surgery











$\begin{tabular}{ll} \textbf{Universal Bone Grafting/Impacting Forceps} & \textbf{Designed by } \\ \textbf{J.A.Amis, MD} \end{tabular}$

Bone graft can be grasped, placed & impacted without changing hands or instruments — four end diameters are available in two lengths



FOR INNOMED IN

Long 10" with 1/8" (3,2 mm) Diameter End #5050-01 Long 10" with 3/16" (4,8 mm) Diameter End #5050-02 Long 10" with 1/4" (6,3 mm) Diameter End #5050-03 Long 10" with 5/16" (8 mm) Diameter End #5050-04

Short 6" with 1/8" (3,2 mm) Diameter End #5010-01 Short 6" with 3/16" (4,8 mm) Diameter End #5010-02 Short 6" with 1/4" (6,3 mm) Diameter End #5010-03 Short 6" with 5/16" (8 mm) Diameter End #5010-04













Diameter ends at actual size (closed forceps)

Modular Impactor Set

Makes multiple impactor heads easily visible and available

Complete Set #5370













IHS Inclinometer Designed by Craig J. Della Valle, MD

Helps to accurately predetermine angles for acetabular cup positioning and insertion — calibrated from 0 to 45°, the indicator may be used on the reamer shaft, the trial cup shaft and the cup impactor shaft







AccuAngle Indicator

Designed by S. David Stulberg, MD, A. Llinas, MD and J. Navas, MD

Helps to accurately predetermine angles for acetabular cup positioning and insertion — calibrated from 0 to 45°, the indicator may be used on the reamer shaft, the trial cup shaft and the cup impactor shaft



Steam sterilizable without vacuum.

#1325



WARNING: Do not strike glass indicator tube.

Sterilizable Level

Steam sterilizable without vacuum for use in surgery, the level is helpful in hip surgery to ensure the leg is in the same position when checking leg length







Lombardi Self-holding X-ray Magnification Marker

Designed by Adolph Lombardi, MD

Helps to remove the variable of X-Ray magnification factor from the process of Orthopedic templating

Fully positionable, this orthopedic X-Ray calibration and marking device features a 1" (25.4mm) stainless steel ball which, when properly positioned at bone level on a precise anatomical plane, will be this exact size when viewed from all angles, allowing it be used as a calibration marker in surgical planning software applications, helping to gauge the size of other components on that plane. This helps establish precise anatomical measurement.

The flexible, adjustable arm can help reduce patient (and technologist) embarrassment or discomfort when it is required to be positioned in a sensitive area such as the inner thigh.





Ruler with 45° Angle Handle Designed by Richard A Sanders MD

Designed by Richard A. Sanders, MD

Useful for measuring distances in small deep incisions — ideal for measuring the distance from the lesser trochanter to the center of the trial femoral head during femoral sizing




Ruler with Right Angle Handle

Designed to be used to measure the femoral head/neck length — very helpful in minimally invasive surgery











Designed by Vince Cannestra, MD

Helps determine leg length and hip offset in total hip arthroplasty, including minimally invasive techniques





Ruler #1327-03





Set consists of one Ruler, one Pin Inserter/Extractor Handle, one 100 mm Pin. one 130 mm Pin. and a case.

Leg Length Caliper

Designed by Michael Koonin, MD

Designed to help measure and evaluate pre- and post-THR leg length in conjunction with X-ray calibration and clinical judgement








Designed by Michael Koonin, MD

Designed for use in small incisions to help measure and evaluate pre- and post-THR leg length in conjunction with X-ray calibration and clinical judgement
























Sarraf Toothed Curettes Designed by Khaled Sarraf, MD


Forward, straight, and reverse bent toothed curettes designed to aid in aid in all types of joint arthroplasty surgery, especially in scraping any articular chondral islands within the acetabulum during THA preparation





















Mongold Capsule Knife

Designed by Evie Mongold, MD

Designed to reach behind the femoral head to release the capsule ligament





O'Reilly Femoral Head Extractor

Designed by Michael P. O'Reilly, MD

Small version designed modification by Tarum Bhargava, MD

Designed to help remove the femoral head—during THA, MIS Direct Anterior THA, and hip fracture surgery/ hemiarthroplasty, the perpendicular osteotome blades help provide purchase in osteoporotic bone, while the central osteotome provides a visual estimate of the instrument's depth of penetration to avoid acetabular injury with use during hemiarthroplasty, and the handle helps obtain rotational torque needed to rotate and dislocate the femoral head in direct anterior hip arthroplasty




Huddleston Femoral Head Removers

Designed by H. Dennis Huddleston, MD

Designed to help lever a femoral head out of the acetabulum in standard and anterior approach total hip replacement





Verner Corkscrew Femoral Head Remover

Designed by James J. Verner, MD & Andy Lytle Used to remove the femoral head during total hip arthroplasty or fracture surgery



Femoral Head Removal Pin



Partial threaded pin used to help remove a femoral head during total hip surgery

#1310





Schanz Pin with Zimmer Hall Quick-connect

#3687

Designed by Keith Berend, MD

Partial threaded pin used to help remove a femoral head during total hip surgery







Rivero Anti-Rotation Corkscrew Femoral Head Remover Designed by Dennis Rivero, MD

Designed to help prevent rotation while engaging a femoral head for removal, the sharp-toothed sleeve can be tapped in to help provide purchase of the femoral head, then held to help prevent rotation as the super-threaded corkscrew is turned to engage the head for removal





during total hip arthroplasty or fracture surgery

Quick-connect version for use with a driver





Femoral Head Removers

Used to remove the femoral head during total hip arthroplasty or fracture surgery

Ouick-connect version for use with a driver.







Firmly locks onto a resected femoral head during total hip, hip fracture, and MIS total hip surgery



Extended Cup Positioner

Designed modification by James F. Kayvanfar, MD of an original design by Thomas Eickmann, MD

Designed to help reposition an acetabular cup during total hip arthroplasty



#5475-10






after both gracilis and semitendinosus tendons are harvested. **Curved Femoral Head Impactor** Designed by Amiee Zirpel Allows for in-line femoral head impaction during minimally invasive THR, the curved offset handle allows the head impactor to be slid under the #3644 skin of a small incision, and helps provide handheld stability and maneuverability within the Delrin wound, while the impaction platform is easily accessible outside the wound USA MADE

muscular attachment







Taper Head Impactor

by distal traction,

Designed by Byron E. Dunaway, MD & Wayne Goldstein, MD

Designed to impact a modular head during minimally invasive THR, the impactor has a protective coating





Designed by Byron E. Dunaway, MD & Wayne Goldstein, MD

Designed to hold 22 mm to 36 mm heads for ease of insertion in minimally invasive THR, the head holding ends are plastic coated to help eliminate

any damage to the implant














Cherf Leg Holder

Supports the lower extremity for prepping before knee or hip surgery

FREE TRIAL ON MOST INSTRUMENTS





Replacement Parts: Set of 3 Small Pads #4150-PD3

#2270

Capello Patient Positioner

Designed by William Capello, MD

Provides stable positioning of a patient during hip procedures





Sets Includes: Board, Gel Pad, (4) 6" Radiolucent Pegs, (4) 9" Radiolucent Pegs, (2) Stabilizing Clamps, (2) Table Clamps

Set Includes/Replacement Parts:

2-Piece Positioning Board #4090-PB 1-Piece Positioning Board #4095-PB 6" (15,2 cm) Radiolucent Peg #4090-06 9" (22,9 cm) Radiolucent Peg #4090-08 Stabilizing Clamp #4090-SC Large Gel Pad #4090-01 Table Clamp #9120

Optional Parts:

Peg Gel Pad #4090-02 4" Peg Extension #4090-EXT Peg Extension #4090-EXT6 8" Peg Extension #4090-EXT8



All gel pads, pegs and peg height extensions can be used with existing peg boards. The pegs are radiolucent.

Large Patient Peg Board Positioner Post Assembly

Especially helpful with large patients where reaching the a.s.i.s. is needed for stabilization

Complete Set #4150-10P





Set Includes/Available Individually: Post Assembly Adapter #4090-03 Tol. (25,4 cm) Post with 2 Pads #4150-10B 2" (5,1 cm) Spacer with 4" (10,2 cm) Knob #4150-EXT 4" (10,2 cm) Spacer with 6" (15,2 cm) Knob #4150-EXT4

Thornberry Hip Positioner





Designed to help provide counter resistance on the contralateral hip when reaming and implant insertion during direct anterior arthroplasty

Design modification by Amal Das, MD of original design by Benjamin M. Frye, MD

Complete Set #4166-00



Set Includes/Available Individually:

Das Anterior Hip Bolster Support #4166-01 Das Anterior Hip Bolster Rod #4166-02

Set Includes/Replacement Parts:

Table Clamp #2595 Positioning Pads - Set of 2 #4150-PD2 Post Screw #4150-PS

Direct Anterior THA Leg Positoner

Designed to help position the operative leg for femoral preparation in direct anterior approach total hip arthroplasty using a standard operating table

- Allows one assistant to secure the leg for femoral preparation
- Attaches directly to a standard operating table
- Allows easy assessment of hip stability and leg length discrepancy
 Calibrations on the rod help to allow for precise and reproducible
- placement of the leg positioner according to surgeon preference





Belfast Sagittal Plane Positioner

A sturdy and stable patient support system for posterior approach total hip arthroplasty






Complete Set #4170-00



- Does not attach to the table, making it compatible with all OR tables
- Very secure and easy to tighten
- Accommodates the very obese patient



Set Includes/Available Individually:

Anterior Upright Support #4170-03 Anterior Plane Support #4170-04 Anterior Clamp Support #4170-05 Anterior Knob Screw #4170-AKS Two (2) included in Set. One (1) with this product number

Anterior Plane Pad #4170-AP Posterior Sagittal Plane Support #4170-06 Posterior 9.5" Post #4170-07 Posterior Knob Screw #4170-PKS

Posterior Base #4170-08 Posterior Angle Adjuster #4170-09 Posterior T-Handle Screw #4170-T Posterior Support Pad #4170-PP Post Screw #4150-PS Three (3) included in Set, One (1) with this product number 20" Baseplate Only 4050-BP Hip Positioner Large Pad 4050-LPD






The set consists of: One 10" post with double pads, one 6" post with a single pad, one 20" base plate, one base plate pad, two 2" spacers, one 4" knob, and one 6" knob.

Complete Set #4050





Optional Hip Positioner Parts:



Optional & Replacement Parts:

2" (5,1 cm) Spacer #4150-C 4" (10,2 cm) Spacer #4150-C4 4" (10,2 cm) Knob #4150-EK

6" (15,2 cm) Long Knob #4150-EK4 8" (20,3 cm) Long Knob # 4150-EK6

2" Spacer with 4" Knob #4150-EXT

4" Spacer with 6" Knob #4150-EXT4

4" and 2" Spacer with 8" Knob #4150-EXT6

(15,2 cm) Post #4150-06 (20,3 cm) Custom Post #4150-08

9" (22,9 cm) Custom Post #4150-09

(25,4 cm) Post #4150-10 12" (30,5 cm) Custom Post # 4150-12

14" (35,6 cm) Custom Post #4150-14 Set of 3 Small Pads 4150-PD3

Large Pad #4050-LPD 20" (50,8 cm) Wide Baseplate #4050-BP

24" (61 cm) Custom Wide Baseplate #4050-BP24

Multi-Adjustment Hip Positioner


Provides stable positioning of a patient during hip surgery, the multi-adjustment arms allow the positioner to be adjusted to fit all sizes of patients, and is especially helpful with large patients where reaching the a.s.i.s. is needed for stabilization

Replacement Parts: Set of 2 Small Pads #4150-PD2



Stulberg Hip Positioner Designed by S. David Stulberg, MD

Provides stable positioning of a patient during hip surgery



Optional & Replacement Parts:

2" (5,1 cm) Spacer #4150-C 4" (10,2 cm) Spacer #4150-C4

(10,2 cm) Knob For use with 2" Spacer #4150-EK

(15,2 cm) Long Knob For use with two 2* Spacer and one 4* Spacer #4150-EK4 (20,3 cm) Long Knob For use with one 2* Spacer and one 4* Spacer #4150-EK6

2" Spacer with 4" Knob #4150-EXT

4" Spacer with 6" Knob #4150-EXT4

4" and 2" Spacer with 8" Knob #4150-EXT6

(15,2 cm) Post #4150-06

(20,3 cm) Custom Post #4150-08

9" (22,9 cm) Custom Post #4150-09

10" (25.4 cm) Post #4150-10

(30,5 cm) Custom Post #4150-12

14" (35,6 cm) Custom Post #4150-14 Set of 3 Small Pads #4150-PD3

Table Attachment #4150-TA


Storage Case #9002



Wixson/Stulberg Anterior Trunk Support

Designed by R.L. Wixson, MD and S. David Stulberg, MD

Helps protect the chest and shoulders from slumping forward during total hip surgery










Extractor with Standard Slap Hammer #3610


Includes/Available Individually: Extractor Only #3610-01 Standard Slap Hammer #3925

Optional Part: Extra Large Slap Hammer #3935





- Open Extractor Jaws
 The extractor is opened to accommodate any size taper on a modular head total hip stem.
- 2 Use T-Handle To Clamp Onto Taper The taper is clamped between the rotating block and the taper anvil. Tightening the "T" handle holds a stem taper in place.




- 3 Attach Slap Hammer
 The slap hammer is screwed into the swivel block. The slap
 hammer can be aligned with the stem utilizing the swivel block.
- 4 Use Slap Hammer To Remove Component Extraction is carried out by the slap hammer or by utilizing a mallet on the hammer flares of the slap hammer.


























USED FOR IMPACTION

removing the femoral head
THE DELRIN PAD SHOULD NOT BE





acetabular cup extraction system



Any component may be purchased





Instrument Discount Program

For used CupX blade instruments we offer a Blade Discount Program. Please see our website or call for details.

System Rental Available

Available on a single procedure basis

Rental is available in several configurations:

- · 4 cases with all sizes, including 2 sets of heads
- · 3 cases, including 2 sets of heads
- · 2 cases, including 2 sets of heads
- · 1 case, including 2 sets of heads
- · 1 size (starter & finish), including 2 sets of heads Each case includes 5 Starter and 5 Finish Instruments

Rental Charges

In addition to a rental fee, there is a charge for each instrument used (not heads). Also, an additional charge applies if the used instruments are kept instead of returned. Rental is for one surgical procedure only, and must be returned within 5 days following the procedure.

Custom Set - Fixed Handle #5200-01 Custom Set - Wrench Handle #5208-01 Also Available Individually

Blade Contour Checking Templates - Complete Set plus Ring

Sets Include: 5 Starter & 5 Finish Instruments

2 each of 5 Head sizes (22-36 mm) 2 cases - 1 for Instruments, 1 for Heads

Blade Contour Checking Templates - Corresponding Sizes, plus Ring

Ranged Set - 42-50 mm Fixed Handle #5200-02 Ranged Set - 42-50 mm Wrench Handle #5208-02 Also Available Individually

Sets Include: 5 Starter & 5 Finish Instruments

2 each of 5 Head sizes (22-36 mm)

2 cases - 1 for Instruments, 1 for Heads Blade Contour Checking Templates - 42-50 mm, plus Ring

Ranged Set - 52-60 mm Fixed Handle #5200-03 Ranged Set - 52-60 mm Wrench Handle #5208-03

Also Available Individually

Sets Include: 5 Starter & 5 Finish Instruments

2 each of 5 Head sizes (22-36 mm) 2 cases - 1 for Instruments, 1 for Heads

Blade Contour Checking Templates - 52-60 mm, plus Ring

Ranged Set - 62-70 mm Fixed Handle #5200-04 Ranged Set - 62-70 mm Wrench Handle #5208-04

Sets Include: 5 Starter & 5 Finish Instruments

2 each of 5 Head sizes (22-36 mm) 2 cases - 1 for Instruments, 1 for Heads Blade Contour Checking Templates - 62-70 mm, plus Ring

Ranged Set - 72-80 mm Fixed Handle #5200-05 Ranged Set - 72-80 mm Wrench Handle #5208-05

Also Available Individually 5 Starter & 5 Finish Instruments

2 each of 5 Head sizes (22-36 mm) 2 cases - 1 for Instruments, 1 for Heads Blade Contour Checking Templates - 72-80 mm, plus Ring

Individual Fixed Handle Shafts

42 mm Starter #5200-42 42 mm Finish #5201-42 44 mm Starter #5200-44 44 mm Finish #5201-44 46 mm Starter #5200-46 46 mm Finish #5201-46 48 mm Starter #5200-48 48 mm Finish #5201-48 50 mm Starter #5200-50 50 mm Finish #5201-50 52 mm Starter #5200-52 52 mm Finish #5201-52 54 mm Starter #5200-54 54 mm Finish #5201-54 56 mm Finish #5201-56 56 mm Starter #5200-56 58 mm Finish #5201-58 58 mm Starter #5200-58 60 mm Starter #5200-60 60 mm Finish #5201-60 62 mm Finish #5201-62 62 mm Starter #5200-62 64 mm Finish #5201-64 64 mm Starter #5200-64 66 mm Starter #5200-66 66 mm Finish #5201-66 68 mm Starter #5200-68 68 mm Finish #5201-68 70 mm Starter #5200-70 70 mm Finish #5201-70 72 mm Starter #5200-72 72 mm Finish #5201-72 74 mm Starter #5200-74 74 mm Finish #5201-74 76 mm Starter #5200-76 76 mm Finish #5201-76 78 mm Starter #5200-78 78 mm Finish #5201-78 80 mm Starter #5200-80 80 mm Finish #5201-80

Individual Wrench Handle Shafts

42 mm Starter #5208-42 42 mm Finish #5209-42 44 mm Starter #5208-44 44 mm Finish #5209-44 46 mm Starter #5208-46 46 mm Finish #5209-46 48 mm Starter #5208-48 48 mm Finish #5209-48 50 mm Starter #5208-50 50 mm Finish #5209-50 52 mm Starter #5208-52 52 mm Finish #5209-52 54 mm Starter #5208-54 54 mm Finish #5209-54 56 mm Starter #5208-56 56 mm Finish #5209-56 58 mm Starter #5208-58 58 mm Finish #5209-58 60 mm Starter #5208-60 60 mm Finish #5209-60 62 mm Starter #5208-62 62 mm Finish #5209-62 64 mm Starter #5208-64 64 mm Finish #5209-64 66 mm Starter #5208-66 66 mm Finish #5209-66 68 mm Starter #5208-68 68 mm Finish #5209-68 70 mm Starter #5208-70 70 mm Finish #5209-70 72 mm Starter #5208-72 72 mm Finish #5209-72 74 mm Finish #5209-74 74 mm Starter #5208-74 76 mm Starter #5208-76 76 mm Finish #5209-76 78 mm Finish #5209-78 78 mm Starter #5208-78 80 mm Starter #5208-80 80 mm Finish #5209-80

Interchangeable

Complete Set with Case #5202-00

Delrin Heads 39 mm #5202-39 50 mm #5202-50 40 mm #5202-40 51 mm #5202-51 41 mm #5202-41 52 mm #5202-52 42 mm #5202-42 53 mm #5202-53 43 mm #5202-43 54 mm #5202-54

44 mm #5202-44 55 mm #5202-55 45 mm #5202-45 46 mm #5202-46

47 mm #5202-47 48 mm #5202-48 49 mm #5202-49

56 mm #5202-56 57 mm #5202-57 58 mm #5202-58

59 mm #5202-59 60 mm #5202-60



IIS Patent #7 998 146 B2

Individual Interchangeable Steel Heads



22 mm #5202-22 26 mm #5202-26 28 mm #5202-28 32 mm #5202-32 36 mm #5202-36 **Ontional Size:** 38 mm #5202-38

Instrument and Head Cases Only

Case for 22 Delrin Heads #9014 Case for 5 Starter and 5 Finish Blades, plus 5 Heads #9015 Case for 10 Steel Heads #9016





Bhargava Modular Offset Cup Liner Impactor Designed by Tarun Bhargava, MD

Designed to help impact an acetabular cup liner during minimally invasive direct anterior and MIS posterior approach THR Used in conjunction with individual interchangeable heads (sold separately) which fit securely onto the impactor end Helps avoid edge loading and improper seating of the

Interchangeable Heads Sold Separately #5031 liner that can occur with a straight impactor Uses the same heads as the Innomed CupX Actetabular Cup Extraction

CupX Blade Contour Checking Templates

Designed for checking the contour of a CupX blade after use to evaluate arc accuracy





















Lombardi Taper Cleaner Designed by Adolph V. Lombardi, MD

Designed to help clean a hip stem taper of corrosive byproducts prior to placement of the new femoral head







14/16 mm #8035-03



Complete Set #5302-00 Also Available Individually



nitride coating to help extend life by increasing surface hardness, prolonging sharpness, and resisting chemicals and corrosion.

Guide Only #5302-01 Single 10 mm Curved Chisel Blade #5302-02 Slap Hammer #3040 Sterilization Case #1015





Complete Set #5301-00 Also Available Individually



Chisel blade features an ultra hard titanium nitride coating to help extend life by increasing surface hardness, prolonging sharpness, and resisting chemicals and corrosion. Set Includes/Available Individually: Guide Only #5301-01 Single 10 mm Curved Chisel Blade #5301-02 Slap Hammer #3040 Sterilization Case #1015




Mueller-Type Cement Removal Instruments

Used for cement removal in the knee, hip, and shoulder





















T-Handle Chuck & Key #8247-00 T-Handle Chuck only #8247-01 Chuck Key only #8247-02

Flexible Osteotome System

Medial and Lateral Curve Radial Blades designed by Henry Boucher, MD Curved Chisel Blades designed by William McMaster, MD

Provides an assortment of osteotome blades for various orthopedic surgery procedures

Blade lengths reflect the actual working portion of the blade only. For overall length, add 1.5" (3,8 cm) to blade length listed above



Set Set w/Quick-Coupling Handle and Case #S0011-00 Set Set w/Locking Nut Handle and Case #S0012-00 Also Available Individually




ISA MADE

- ▶ Sharp, flexible blades are well suited for loosening implants from cement or bony ingrowth fixation
- Various blade widths and profiles allow great flexibility to follow the implant contours
- Modular handle is made of high impact surgical stainless steel and has a quickcoupling positive locking mechanism for ease of use and quick blade changes Slap hammer threads into the handle and is designed to facilitate blade removal
- Optional Strike Plate can be attached to the Handle for direct striking with a mallet
 Optional Curved Chisel Blades are designed to help loosen the cement/prosthesis
- interval in TKA tibial tray and femoral component revisions. The curved design is useful in working around pegs & fins to get posterior cement access. Also helpful in revision of a total ankle prosthesis.

Extra Long Chisel Blades are designed

for removal of well-fixed long bo intramedullary hardware






Instruments Included in Sets

Lateral Curve Radial Blade

Medial Curve

Radial Blade



Curved Radial

Blades are helpful in the removal of total hip stems

5.5" (14 cm) x 8 mm Long Chisel Blade #\$1227

7.5" (19,1) x 8 mm Extra Long Chisel Blade #\$1232 8.5" (21,6) x 8 mm Extra Long Chisel Blade #\$1234

9.5" (23,1) x 8 mm Extra Long Chisel Blade #S1235

10.5" (26,7) x 8 mm Extra Long Chisel Blade #S1236 11.5" (29,2) x 8 mm Extra Long Chisel Blade #S1237

12.5" (31,8) x 8 mm Extra Long Chisel Blade #\$1238

2024

WWW.INNOMED.NET



Allograft Bone Vise

Holds allograft bone for reaming, shaping or cutting, the vise is designed with two sets of vise jaws for reaming of two femoral heads and also for holding a long bone horizontally and vertically





Whelan Double-Ended Suture Wire Passer

Designed by Edward J. Whelan, III, MD

Passer guide and malleable passer designed to pass suture wires around a bone

Set #8300-00 Also Available Individually

Set includes Passer Guide, two Passers, and a sterilization case.













Designed by DN

Used to hand tighten a cerclage wire around a bone, Designed with four wire holes — two for up to 20 gauge wires, and two for up to 18 gauge wires







Desai Surgical Funnel

Designed by Sarang Desai, DO

Helps with control and placement of bone graft or antibiotic beads

Made from surgical grade stainless steel (for sterilization purposes).





Surgical Spoon

Designed by David Scott, MD Very useful for the application of methyl-

application of methylmethacrylate bone graft







Long Nose Small OrthoVise¹¹

Long Nose Small 9.5" OrthoVise™ without Attachment Bolt, without Slap Hammer

Long Nose Small 9.5" OrthoVise™ with Attachment Bolt (end), with Small OrthoVise™ Slap Hammer (#3955)

Long Nose Small 9.5" OrthoVise™ with Attachment Bolt (end), without Slap Hammer #3975-T

Slap Hammers

Slap Hammer For Large OrthoVise #3950

Slap Hammer For Small OrthoVise #3955

Standard Slap Hammer with 16" Rod #3925

Easy Grip Standard Slap Hammer with 16" Rod #3926

Threaded Adapters

Small Adapter #3980-02

Large Threaded Adapter #3980-03 or use with 3965's, 3966's, 3980's, 3981

Small Threaded Adapter #3985-03

Universal Screw Removal Instrument System

Designed to remove solid and cannulated screws, and used for removal of stripped hex screws, buried screws, partial screws with broken screw heads , the drive end (A/O) is designed for easy and quick engagement with the universal instrument handle



Screw Extractors

Unique thread design accommodates removal of stripped screws. The instrument "locks" into the screw head and allows removal once engaged. Designed to be used in a counter-clockwise direction

Trenhines

Designed to fit over submerged screws for extraction with minimal bone loss. Extraction is enhanced by the unique tooth design. Designed to be used in a counter-clockwise direction.



Hex Drivers

Solid shaft in all standard hex sizes

Hex Drivers

Four sizes with a cannulated shaft for easier removal of buried screws.



Universal Extraction Bolts

Designed to remove screws with heads partially or completely missing. The cone shaped head fully engages the remaining screw and optimizes the force needed for removal. The bolt is disposable and locks into place using a unique thread design. Designed to be used in a counter-clockwise direction.

Screwdrivers


Standard cruciform screwdrivers in large, small, and mini, and single slot.

Cannulated **Drive Extension** Used when

instrument shaft is desired.











Universal Instrument Handle #S0113 The single handle allows the surgeon to

decide which direction is most efficient and comfortable. The quick-connect release mechanism allows for quick interoperative exchange

Torx/Hex Adapter Set

Designed by Stephen M. Walsh, MD Designed for conversion of a 3.5 mm screwdriver

Set of One Each #8003-00











small cannulated screws; or headless screws

Set or Three with Case #7653-00













5 mm Trephine 6.5 mm Trephine 8 mm Trephine #1426-02

#1426-03

9 mm Trephine #1426-05

10 mm Trephine 11 mm Trephine #1426-06 #1426-07 Trephine Sizes in Internal Diameter

Cheng Screw Removal and Bone Trephine Set

Designed by Edward Cheng, MD

Six trephine sizes with reverse thread teeth designed to help with removal of screws with minimal bone loss, as well as gathering of core bone samples for biopsy or core decompression



Can be used with the T-handle or with power



Handle

Assembly

#1425-14

Replacement Part: Retaining Screw #1425-14-B-COMP



Overall Length: 15" (38,1 cm) #1782 Extra Long Grasper Designed for reaching deep into the medullary canal

Universal Screwdriver Set

Helps eliminate the opening of multiple sterile packs when a specific size or style of screwdriver is needed — helpful during revision total joint surgery where screws have been used, removal of bone plates, fracture fixation screws or bone graft screws





Set with Case #5195 Also Available Individually



Single Slot - 7 x 1.5 mm & 5 x 1 mm #5195-02 Cross & Cruciate - 7 & 6 mm #5195-03 Hex - 3.5 & 4.5 mm #5195-04 Phillips - 4 & 3.5 mm #5195-05 Small Star - #6 & #8 #5195-08 Medium Star - #10 & #15 #5195-06 Large Star - #20 & #25 #5195-07





2024

For 4.5 mm Screw #2024-05

For 5.0/6.5/7.0 mm Screw #2024-06

Tibial Component Extractor


Universal extraction instrument designed to lock onto a tibial knee component and extract in line with the stem or pegs, with two adjustable osteotomes inserted on the underside of the component, and a locking screw clamped on to the top of the extractor to secure the component

Extractor with Standard Slap Hammer #3630

Also Available Individually







- Adjust Blades To Fit Component
 The straight or angled blades are adjusted by loosening the attached screws and sliding the blades into the desired position.
- Drive Blades Under Component
- Tighten Threaded Rod Onto Component
 The site hole for the pointed, threaded rod can be aligned with the proximal surface of the tibial component by using the included hex wrench system. The pointed, threaded rod is tightened onto either a polyethylene or metal tibial component
- Attach Slap Hammer Assembly & Remove Component
 The slap hammer assembly is threaded into the threaded rod handle for removal of the component.





Designed for removal of a total knee tibial component Includes: Disimpactor, (2) Blades, Silicone Grip Handle







8 mm Brown Gorski Hook with Standard Slap Hammer (#3925) #3655





Lawrence Revision Knee Gap Balancing Tensioner Set Designed by Jeffrey M. Lawrence, MD

Designed to help tense the medial and lateral ligaments for gap balancing during revision surgery so that the AP cutting block does not impinge on the spreader during balancing








During primary knee surgery, can be used to help remove cement from the periphery of a tibial base plate and femoral component.












2024

component or trial

TO MADE











Fromm Femur & Tibia Triangles

KNEE



George Arthroscopic Knee Positioner

Designed by Michael S. George, MD

Provides lateral and superior support which allows valgus stress to open the medial compartment





Leg Stabilizer

Designed by Gregory Fanelli, MD

Useful in arthroscopic knee surgery to hold the leg in position— Helps to open up the knee joint when pressure is applied to the lower leg



Sterilizable table clamp included.

Replacement Parts: Pad #8840-P Table Clamp #9120





Durham Leg Positioner

Designed by Al Durham, MD

Placed against the thigh, helping to hold the leg upright in knee surgery

()

Sterilizable table clamp included.



Replacement Parts: Pad #4105-P Table Clamp #9120

Sanders Extremity Positioning Tubes

Designed to support the knee and ankle during lower extremity surgery






Kirschenbaum **Foot Positioner**

Designed by Ira Kirschenbaum. MD

Helps eliminate the use of sand bags under the drape during total knee surgery— the foot rest is dome shaped for optimal foot contact and positioning the leg in flexion, and can be rotated






Modified 90° Leg Stabilizer

Designed by Gregory Fanelli, MD

Useful in total knee surgery to hold the leg in position

Sterilizable table clamp included.





Hyperflex Foot Positioner Assembly

Designed by Morteza Meftah, MD and Ira Kirschenbaum, MD

Designed to help secure the foot for positioning of the knee in the hyperflex position

IISA MADE

Replacement Parts: Pad & Two Straps #2730-P Black Straps #2590-S





2024











Designed by Rama Chandran, MD


Designed to help lift and position the thigh from above during knee surgery The optional thigh lift adapter is designed for use with a hydraulic lift device instead of the manual lift rod with table clamp.

Positioner Set #4167-00 Also Available Individually




















to accurately gauge the gap, and makes it where the calibrated design can possible for two spreaders to be used to help to balance ligaments Medium, Flat **Outside Pads** #1843 Available with flat or serrated outside blades Small, Flat **Outside Pads** #1842 Medium, Serrated **Outside Pads** #1843-01 Small, Serrated **Outside Pads** #1842-01


> **Small, Serrated Outside Pads** with Small Grip #1842-01-SG

Designed with the grip closer together for easier gripping and to help reduce hand fatigue





Small #1135






Lombardi Gap Balancing Femoral Tibial Spreader with Easy Release Locking Mechanism

Spreader designed by Adolph V. Lombardi Jr., MD. Locking mechanism designed by Munish C. Gupta, MD

Designed to help separate the femur and tibia during total knee procedures, with the pads being parallel when measured at 20 mm of separation



Femoral Tibial Coated Spreader Bar

Designed by Adolph V. Lombardi Jr., MD

Designed to separate the femur and tibia when implant components are in place, the coated end helps to protect from scratching component surfaces



2024

Grooved Pads

Large #1130

Calibrated Femoral Tibial Spreaders

Helps separate the femur and tibia during total knee replacement surgery

Small 7" with Standard Handle





Small 7" with **Locking Mechanism**

Locking mechanism helps prevent accidental release, and provides for controlled adjustment and easy release




Small 7" with **Small Grip Handle**



Designed with the grip closer together for easier gripping and to help reduce hand fatigue







Scott Femoral Tibial Tensor/Spreader

Designed by Richard Scott, MD*

Used before determining femoral component rotation to help properly tense the medial and lateral ligaments




Lombardi Femoral Tibial Spreader with Easy Release Locking Mechanism

Spreader designed by Adolph V. Lombardi Jr., MD. Locking mechanism designed by Munish C. Gupta, MD

Thin pads help to separate the femur and tibia during total knee procedures, the locking ratchet mechanism helps prevent accidental release, and provides for controlled adjustment and easy release











Harwin Modified Cobra Retractor

Designed by Steven F. Harwin, MD, FACS

Designed for use during total knee surgery, the wide blade of the large retractor spans the prepared box and helps bring the tibia forward, while the small retractor helps with retraction of the medial and lateral structures, where the wide, concave blade provides added exposure over standard bent Hohmann retractors















Self-Retaining Knee Retractor System

Designed by S. David Stulberg, MD

Helps free assisting personnel while providing excellent exposure



Long Strap - Femur #8100-P [Pkg. of 10] Short Strap - Tibia #8120-P [Pkg. of 10]



Wide PCL Retractor with Strap #3525











Stubbs Short Prong Collateral Ligament Retractor with Strap #6640

Designed by B. Stubbs, MD



retractors in place






2.5 lbs. (1.13 kg) with attaching hook #3430-03

1.5 lbs. (.68 kg) #3430-01









Chandler Retractors

Used for retracting tissue away from the bone, and helpful for posterior exposure of the tibia in MIS surgery

The OrthoLucent™ version is made of a strong, lightweight carbon fiber PEEK composite material, which is completely radiolucent, helps to prevent from marring component surfaces, and can be steam sterilized







MIS Utility Knee Retractor

Designed by William Robb, MD

Used interchangeably for medial exposure, lateral exposure and to assist in posterior exposure for the tibia, helps to keep hands out of the field of view while providing retraction in minimally invasive knee surgery



#3220-03

KNEE

Roose Utility Knee Retractor

Designed by Paul Roose, DO

Used for retraction of the soft tissues laterally or medially and for anterior translation of the tibia during tibial prosthetic insertion



#4532



Bolanos Modified Chandler Retractor

Designed by Alberto Bolanos, MD

Used for retracting tissue away from the bone



Sherman Patella Tendon Harvest Retractor



Designed to help improve exposure and lessen the incision necessay to harvest a patella tendon graft during anterior cruciate ligamant bone-

patella tendon-bone (BTB) reconstruction

#4691

Uni Medial/Lateral Ligament Retractor

LISA MADE

Designed to be placed in the medial/lateral tibial recess while making the horizontal tibial cut during unicompartmental knee arthroplasty—helping to retract and protect the medial and lateral collateral ligaments



"Z" Knee Retractor

Designed to expose the femur and the tibia during knee surgery for better access to the articulating surfaces, the "Z contouring provides the surgeon with an open field of view and working area



Wide Blade #3720-00

"S" Total Knee Retractors Designed by R. Barry Sorrells, MD

Helps protect the collateral ligaments and popliteal structures while providing excellent visualization within the knee joint, the design is self-retaining and can be used singularly and in pairs—for cruciate sparing or sacrificing prosthetic designs



Chandran Modified Knee Retractor

Designed by Rama E. Chandran, MD

Teeth designed to help prevent tilting of the retractor and protect the patellar tendon during robotic assisted total knee replacement, and also useful to retract structures on the lateral side of the tibia



#7117




90° Bone Hook

Designed by Charles Taunt, DO

Designed to ergonomically help the surgical assistant elevate the proximal femur during TKA, the bone hook aids the surgeon in accessing posterior osteophytes and in applying local anesthetic to the posterior capsule





Bone Hooks Designed by R.L. Wixson, MD

Designed for proximal femoral elevation in total hip replacement or in other surgery with a similar need for bone manipulation — the instrument has a blunt tip and a large handle to accommodate the use of two hands if desired





Stulberg Incision Close Gelpi & Blade Set

Designed by S. David Stulberg, MD

Designed to help expose difficult to visualize areas at the end of incisions

- 1 Gelpi & 1 Blade #4269-00 Also Available Individually






Blade




2024

Gelpi #4269-01














#4850

Blount Knee Retractor

Helps create better access to

the articulating surfaces

Designed by James B. Stiehl, MD

ISA MADE











AORI Patellar Retractor

Designed by Gerard A. Engh, MD

Designed to enhance total knee Designed to enhance total knee exposure, the retractor has a deep basket and two rows of teeth to grab and hold to the lateral side of the patella, while the curved handle provides a fulcrum so that the applied force will hoth displace and evert the will both displace and evert the patella from the femur



Wubben Lateral Fat Pad Retractor for TKR

Designed to hold soft tissues when inserting the TKR





Modified TKA Retractor Set

Designed by Robert Wubben, MD, with modification by David Ott, MD

Designed for soft tissue retraction, the reduced phalange allows for ease of placement in the lateral gutter, and helps avoid contact with the lateral condyle

Set of One Each #3219-00



Left #3219-R #3219-I



Baldwin Lateral Soft Tissue Retractors

Designed by James L. Baldwin, MD

The fenestrated paddle design helps holds back the fad pad and soft tissues, while the two sharp-tipped prongs help penetrate the soft tissue, but have flat surfaces that rest against the side of the tibia and help prevent rotation of the instrument

Blunt Prongs #6313

Sharp Prongs

#6312

Chandran Tibial Knee Retractor

Designed by Rama E. Chandran, MD

Designed for use in TKR, the hook on the front of

the blade acts as a stop to help prevent the retractor from deep penetration behind the tibia





Large #6290-00-075





Designed for use around the knee



Medium Straight #6290-00-078

FREE TRIAL ON MOST INSTRUMENTS

Medium


#6290-00-077

Small #6290-00-076 KNEE



Minimally Invasive Knee Retractors ISA MADE

Helps provide excellent visibility and ligament protection during Total and Unicondylar Knee Replacement Surgery





Knee Retractors with Easy Grip Handles

IISA MADE

Helps provide excellent visibility and ligament protection during total and unicondylar knee replacement surgery, while the silicone handle helps reduce holding fatigue



Bicos Meniscal Repair Retractor

A popliteal retractor specifically designed for meniscal repair or access to the posterior knee









Designed by Richard E. Grant, MD

A bone rasp and plumb rod set designed for TKA tibial cut surface preparation

Plumb rod fits into the handle of each bone rasp: 0°, 2° Left, and 2° Right.



Patent Pending



Set Includes/Available Individually: Plumb Rod #6906-01 0° (Flat) Rasp #6906-02 2° Right Rasp #6906-03 2° Left Rasp #6906-04



Colwell TKA 5° Tibial Rasp Assembly

Designed by Clifford W. Colwell Jr., MD


A tibial planing tool with a universal design to help improve tibial cut alignment and flatness by smoothing out imperfections intraoperatively, helping to ensure the tibial bone surface is cut correctly in coronal and sagittal planes

Complete Set #6900-00





#1129



Tibial Impactor

Design modified by Atul F. Kamath, MD

Assists in MIS unicompartmental cemented tibial tray impaction, and can also be helpful for impaction of other components such as ankle



Replacement Part: Pad Only #1129-02



$\textbf{TKA Gap Assessment Gauge Assembly} \quad \text{\tiny Designed by Michael Radon}$

Universal design allows the gauge to be used without the removal of trials to help determine if a 1 or 2mm additional thickness insert may be needed

The rod can be inserted in the gauge to help check alignment.













Tibia AccuAngle

Designed to be placed on the tibia cutting block to check if the cut is level Includes magnets along the bottom.











FREE TRIAL ON MOST INSTRUMENTS

Durham Curved Osteotome

Increased angle useful for posterior osteophytes of the femoral condyle and the humeral head, as well as anterior acetabular osteophytes





Wide Offset Osteotome

Designed by Paul Lotke, MD & Adam Rosen, DO

Designed to remove osteophytes from the posterior femoral condyles during knee arthroplasty





Lotke Offset Osteotome

Designed by Paul Lotke, MD

Designed to remove osteophytes from the posterior femoral condyles during knee arthroplasty





Dennis Offset Osteotome

Designed by Douglas Dennis, MD & Paul Lotke, MD Designed to remove osteophytes

from the posterior femoral condyles during knee arthroplasty





Meftah PCL Protector

Designed by Morteza Meftah, MD

Designed to help protect the posterior cruciate ligament in cruciate retaining total knee surgery during the proximal tibial cut









Seymour ACL Graft Advancer

Designed by Scott Seymour, MD

Designed to facilitate the passage and tensioning of an ACL graft into the femoral and tibial tunnels, a loop is tied in the prepared graft's passing sutures and the device is used to pull the graft into the tunnels, then to tension the fixation



UKA Tibial Bone Fenestrator Designed by Todd Borus, MD Designed for improving cement penetration during UKA



() #1112 🍜

interface



Designed to impact cancellous bone to help improve bone/cement interface, he sharp tips can be used on normal and dense cancellous bone, and can also be used when a significant deformity has been encountered resulting in sclerotic bone USA MADE



Wilson Patella Double #3 Scalpel Handle

Designed by Ralph Wilson, MD


Designed to help make a predictable (10 mm wide) incision in the patellar tendon when harvesting ACL graft material

Uses scalpel blades that fit a #3 handle size. Scalpel blades not included



#8207





Rosenstein Forked UKA Tibial Fragment Grasper

Designed by Alexander D. Rosenstein, MD

Used to help remove the tibial bone fragment during UKA, the forked upper jaw design helps the instrument to fit around a femoral condyle while the thin lower jaw slips through the osteotomy site



Large - 23 mm Jaw #1720-02 Designed to fit large knee joints

Small - 18.5 mm Jaw #1720-03
Designed to fit small and medium knee joints

Available in two sizes: **Large** designed to fit large knee joints, and **Small** to fit small and medium knee joints.

MADE EXCLUSIVELY FOR INNOMED IN GERMANY

Rosenstein Tibial Fragment Grasper for UKA

Designed by Alexander D. Rosenstein, MD

Designed to help remove the tibial bone fragment in one piece during Unicompartmental Knee Arthroplasty



Patella Cover Plate

Designed by S. David Stulberg, MD

Protects the cut surface of the patella during minimally invasive knee surgery





Set Includes/Available Individually: Small - 35 x 31 mm #4230-01 Medium - 36 x 32 mm #4230-02 Large - 37 x 33 mm #4230-03 Extra Large - 38 x 34 mm #4230-04



Patella Grasping Forceps

Designed by S. David Stulberg, MD


Bent handle helps the surgeon to evert the patella during minimally invasive knee surgery

Normally two forceps are used. Sold individually.

MADE EXCLUSIVELY FOR INNOMED IN GERMANY













FREE TRIAL ON MOST INSTRUMENTS

#1765-01

#1765-02





#1765-03










Designed by Tarun Bhargaya, MD



Designed to help remove the labrum and soft tissues in anterior total hip surgery, and very useful in helping to remove posterior osteophytes in knee surgery












FREE TRIAL ON MOST INSTRUMENTS

Engh Cement Scrapers

Designed by Gerard A. Engh, MD

Right and left design used to scrape cement from around and behind knee implants





Gelbke Freer Cement Trimmer/Nerve Hook with TiN Coating

Designed to facilitate cement removal during total and partial knee replacement

Designed by Martin K. Gelbke, MD

#5007

Bozeman Cement Trimmer Combines the two most common cement trimming tools into one Designed by Daniel M. Gannon, MD #5245

Sarraf Spearhead Cement Exciser



Sarraf Cement Trimmer



Sarraf TiN Coated Cement Forceps

Designed by Khaled M. Sarraf, MD



Robb Cement Curette

Designed to help remove cement around a knee or hip prosthesis Made of Delrin





Bacastow Femoral Cement Osteotome

Uniquely shaped osteotome designed to help trim away cement from around a femoral knee component



#5234



Cement Osteotome

Helps remove cement around the back of the tibia base



#5220



Cement Remover

Helps remove unhardened cement around femoral and tibial knee components



#5230



Scott Uni & Total Knee Cement Removing Curette

Sized, shaped and angled 90° to help with retrieval of posteriorly extruded cement behind the tibial component in both total and unicompartmental knee arthroplasty



#4247

Designed by Richard D. Scott, MD



#5218

Seachris Delrin Cement Scraper


Designed by Timothy Seach

Reusable delrin scraper is designed to help remove cement around a knee or hip prosthesis









Wiater Shoulder Drape Crossbar Designed by J. Michael Wiater, MD, FAAOS, FAOA

Designed for use during shoulder surgery in the beach chair position or during other surgical procedures to support and keep the surgical drapes away from the surgical site, maintain a sterile field, and help to allow the anesthesia provider good access to the airway ()

Lightweight 60" (152,4 cm) stainless steel bar with end clamps for attaching to two IV poles.



FREE TRIAL ON MOST INSTRUMENTS

















Uncoated Prongs

#5841-01







Ergonomic design helps to retract the humeral head posteriorly during glenoid exposure while avoiding reamer contact during shoulder replacement surgery


replacement applications, where allows visualization and direct access to the glenesphere base plate through a deltopectoral incision with








Designed to depress the humeral head and retract tissue away from the posterior half of the glenoid, helping to improve exposure for the preparation and placement of the glenoid component in total shoulder arthroplasty






#1999









3 Prongs #T1008-01 2 Prongs #T1008









Used for retracting tissue away from the bone, and helpful for posterior exposure of the tibia in MIS surgery

The OrthoLucent™ version is made of a strong, lightweight carbon fiber PEEK composite material, which is completely radiolucent, helps to prevent from marring component surfaces, and can be steam sterilized








Bolanos Shoulder Retractor

Designed by Alberto Bolanos, MD

Designed for mini-open rotator cuff repairs and shoulder arthroplasty, the contour matches the humeral head and the rounded edge helps avoid trauma to surrounding musculature, the depth matches girth of most patients, while the comfortable handle makes it easier for assistants to hold







Evans Reverse Hohmann Retractor

Smaller size useful for retracting the deltoid superiorly or laterally, and also protecting the axillary nerve inferiorly while simultaneously exposing the glenoid



Wiater Shoulder Bone Hook

Designed by J. Michael Wiater, MD, FAAOS, FAOA

Appropriately sized large bone hook with ergonomic T-handle for retracting the proximal humerus posteriorly during open shoulder procedures

Especially helpful for glenoid reaming without hitting posterior retractors during shoulder arthroplasty procedures

Also useful for other large joint surgeries - this is the largest bone hook on the market.



FREE TRIAL ON MOST INSTRUMENTS




#5079



Designed to retract and protect the humeral head during resection of the inferior acromial surface, the two prongs hook the posterior aspect of the acromion for retraction, and the file is used to smooth rough edges of the acromion post-resection








Meyer Latarjet Drill Guide & Forceps Assembly Designed by Professor Dominik Meyer

Aiming device for flush positioning of a bone block with a joint surface







Durham Offset Kolbel Shoulder Retractor Set

Designed by Alfred Durham, MD


Designed for retraction of the deltoid and under the short head of the biceps muscle to expose the shoulder, the longer offset blades are useful in patients with large muscles, and the shorter offset blades are useful in smaller elderly patients







Set comes with retractor handle (T1030-01) and 1 pair each of the Long Offset Blades (T1030-L) and the Short Offset Blades (T1030-S).



Bacastow Shoulder Capsular Retractor

Designed by David Bacastow, MD

Designed to help place tension on the inferior capsule for improved visualization and dissection when performing anatomic or reverse shoulder replacement





Gerber Sub-Acromion Spreaders Designed to gain optimal access

to the subacromion space by distracting inferiorly the humeral head from the acromion






Levy Wide Deltoid Retractor

Designed by Jonathan Levy, MD



Designed for management of proximal humerus fractures facilitates appropriate deltoid retraction without interference during active fluoroscopy





Kolbel Self-Retaining Glenoid Retractors

Modified Kolbel Self-Retaining Glenoid Retractor with Hinge

Ergonomic **Handle Retractor**

Standard

Handle Retractor #T1015-01

Ergonomic Handle Retractor

Ergonomic Handle Retractor

#T1050-01-2F

Standard Handle Retractor

Retractor

#T1017

Retractor

#T1016-01-2F

Designed with longer

#T1050-01

#T1015-2F

Handle Retractor

#T1015

#T1015-01-2F

Two pairs of snap-in, freely pivoting blades included.

Set with Standard Handle #T1014-01 Set with Ergonomic Handle #T1014-01-2F

Sets include (1) Retractor, (1) Pair of 36 x 36 mm Blades (T1018-P), and (1) Pair of 36 x 53 mm Blades (T1019-P)

Kolbel Self-Retaining Glenoid Retractor

Two pairs of snap-in, freely pivoting blades included.

Set with Standard Handle #T1014 Set with Ergonomic Handle #T1014-2F

Sets include (1) Retractor, (1) Pair of 36 x 36 mm Blades (T1018-P), and (1) Pair of 36 x 53 mm Blades (T1019-P)

Kolbel Self-Retaining Glenoid Retractor with Center Blade

Center blade can be reversed for shallow or deep retraction Two pairs of snap-in, freely pivoting blades included.

Set with Standard Handle #T1050 Set with Ergonomic Handle #T1050-2F
Also Available Individually

Sets include (1) Retractor, (1) Pair of 36 x 36 mm Blades (T1018-P), and (1) Pair of 36 x 53 mm Blades (T1019-P)

Kolbel Self-Retaining Retractor

Two pairs of snap-in, freely pivoting blades included.





Set includes (1) Retractor, (1) Pair of 36 x 36 mm Blades (T1018-P), and (1) Pair of 36 x 53 mm Blades (T1019-P)

Kolbel Self-Retaining Glenoid Retractor with Hinge and Ergonomic Handle

Two pairs of snap-in, freely pivoting blades included.





Set includes (1) Retractor, (1) Pair of 36 x 36 mm Blades (T1018-P), and (1) Pair of 36 x 53 mm Blades (T1019-P)

















36 x 53 mm #T1019-K 36 x 68 mm #T1020-K 36 x 85 mm #T1021-K



Knurled Narrow Blades

Long #T1006-L

20 x 36 mm #T1022-K 20 x 53 mm #T1023-K 20 x 68 mm #T1024-K 20 x 85 mm #T1025-K

Designed with a knurled underside to help prevent the blades from slipping

Havens Modified Kolbel Soft Tissue Retractor

Designed for retraction on deltoid split incisions on mini-open rotator cuff repairs





Standard #T1006



Designed by Edward McFarland, MD


Designed to hold the subscapularis muscle open when performing a subscapularis split approach to the glenoid

ISA MADE


Subscapularis Spreader

Reaches deep to help split the subscapularis in a Jobe approach





SHOULDER




Coated Inserter for Reverse Shoulder Glenosphere Components

Designed by Michael Radon, Ilya Voloshin, MD, and Nathan Mineo

Designed to aid in the insertion of glenospheres in limited exposure patients, allowing for insertion from the side, with a coating to help protect from marring component surfaces





Burkhead Glenoid Inserter

Designed by Wayne Burkhead, Jr, MD, Michael Radon, and Aaron Merges

Designed to help insert a glenoid component





Glenoid Inserter

Designed by Chase Kuhn & J. Kevin Rudder, MD

Designed for final implantation of the glenoid prosthesis into the body, the grasping ends are coated to help protect from scratching the component surfaces







Suprascapular Ligament Cutter

Designed by Michael Craig, OPA-C

Designed to cut the transverse ligament while helping to protect the suprascapular nerve





Bacastow Axillary Nerve Retractor with Suction

Designed by David Bacastow, MD

Designed with a curved tip to slip all the way under the capsule during shoulder surgery, helping to protect the axillary nerve, while also providing suction of smoke away from the surgical site

Made of autoclavable Radel material, the unit is nonconductive of current and resists the high temperatures associated with the use of electrocautery.



Axillary Nerve Protector

Designed by Brett Sanders, MD

Designed for inferior capsular release during shoulder arthroplasty and glenoid exposure

The tapered freer end helps separate the axillary nerve and inferior capsule, even in difficult exposures. Non-conductive material allows the use of a bovie knife directly in the small channel cutting guide (on both sides). Reversible for right and left use.



#8739

Nicholson Footed Impactor

Designed by Gregory Nicholson, MD

Designed to help remove a humeral prosthesis by impacting the medial collar from underneath, after a gap has been exposed between the rim/bone interface





McFarland Bent Cobb Elevator

Designed by Edward McFarland, MD

Designed for retraction while helping to protect the axillary nerve in shoulder surgery

Ultra hard titanium nitride coating helps to prolong sharpness.



Levy Humeral Stem Extraction Punch

Ultra hard cobalt chrome shaft and impactor tip designed to help remove a humeral stem during revision total shoulder arthroplasty, and can be used to open up distal cement mantle or pedestal during revisions



#8627



Nicholson Universal Humeral Prosthesis Extractor

Designed by Gregory Nicholson, MD

Designed to fit most humeral prostheses

Includes slaphammer, two non-sterile 2.5 mm cables, and sterilization case




Individual/Replacement Parts:
Extractor Only #3670-01
Foot Adapter #3670-10
2.5 mm Cable Pkg of 2 #3670-CABLE
Case #9007
12" Slaphammer Rod #3925-A12
Slaphammer Only (No Rod) #3925-H

Complete Set with Case #3670
Also Available Individually









Designed to facilitate cement removal in smaller diameter bone of the humerus, ulna, and smaller implant geometries





Backhook #5254

Footed Impactor #5255



Vaughan Distal Bicep Tendon Repair Retractor Designed to retract in a continuous way in three directions, helping to prevent the surrounding vital structures from entering the field while drilling or performing the repair work #3223

Gap Clamp for Cortical Button Distal Bicep Repair Designed by Corey Trease, MD Designed to be used to help consistently set the gap for the radius cortex between the distal biceps stump and the cortical button

#5262

Retractor Only

#5834-02

#3224

Chandran Distal Biceps Tissue Protector

Designed to help protect tissue and expose the radial tuberosity during distal biceps tendon repair

Designed by Rama E. Chandran, MD

Using downward pressure, the teeth help to engage bone

to keep the protector in place. Also useful to help expose the humerous during proximal subpectoral biceps repair.



Allows intraoperative positioning for procedures of the posterior arm, elbow, and forearm





Beard Distal Bicep Retractor

Designed to help optimize surgical

exposure during anterior single incision distal biceps tendon reinsertion

Designed by David Beard, MD

Set #5834-00 Also Available Individually

Set Includes Retractor and (2) Blades

FOR INNOMED IN

Designed to reduce and hold in place transverse fractures of the olecranon to facilitate the insertion of k-wires and tension bands





Rlade Fach

#5834-01



Lateral Condyle Fracture Set

Designed by Carl R. Weinert, MD

Designed for adult and pediatric lateral condyle fractures, the asymmetric clamps are shaped to secure the lateral condyle fragment, with the straight tip placed in the coronoid fossa and the curved tip used to grasp and compress the lateral condyle fragment, while the symmetric reduction clamp is useful to compress T-condylar fractures, and in many other fracture reduction applications



Sterilization





Elbow Retractor

#4697



Argintar Bicep Tenodesis Sleeve

Designed by Evan Argintar, MD Designed to help facilitate mini-open sub-pectoral bicep tenodesis-by maintaining the trajectory of the drill with the serrated end of the sleeve, the drilled humeral holes are easily found with standard percutaneous placement of the bicortical button



SHOULDER

SMALL BONE

Zell Fixed Angle Wire Guide

Designed by Richard Zell, MD


Designed to help with placement of guide wires for cannulated screws and k-wires in foot and ankle surgeries, such as bunion surgery, midfoot fusion, and midfoot ORIF





























Desai Jones Fracture Reduction Clamp Designed by Sarang Desai, DO #1802

Designed to reduce and maintain reduction of Jones fractures, helping to prevent distraction and/or rotation during wire, tap, and subsequent screw placement





Calvo Medial Malleolus Fracture Clamp

Designed by Ignacio J. Calvo, MD

Designed to reduce and hold a displacaed medial malleolus fracture








Stanton Articulating Small Bone Clamps Designed by John L Stanton, MD


Opposing clamps facilitate manipulation of fracture ends. while the small tube allows use of a towel clamp to compress non-union and shortening osteotomies during fixation, as well as to allow the use of Gelpi retractors to distract malunions during revision surgery





Pointed Fracture Reduction Clamps Designed by Reza Firoozabadi, MD MA

Versatile set of fracture reduction clamps, each with a specific tine design that allows for appropriate vector placement so that anatomic reduction can be obtained in a number of different types of fractures



67

Straight Left,

Curved Right

Curved Left.

Straight Right

Curved

Left & Right

Straight

Left & Right



OrthoLucent™ Finger/Hand Reduction Pincers

Designed by Emad Aboujaoude, MS, MPAS, PA-C

Radiolucent pincers to stabilize hand/finger fractures during x-ray or pin insertion





Faillace Extra Small Bone Clamp

Designed by John J. Faillace, MD, FAAOS

Delicate enough to use on metacarpals but strong enough for distal radius and larger bones with its extra long ratchet





Small Bone Holding Forceps with Long Ratchet





O'Brien Bone Clamp



Designed by Todd O'Brien, DPM Designed for use in or osteotomy





OrthoLucent O'Brien Bone Clamp

Designed by Todd O'Brien, DPM

Designed for use in stabilization of a fracture or osteotomy

The carbon fiber PEEK material is strong, lightweight, completely radiolucent, can be steam sterilized, and helps to prevent from marring component surfaces.





Lewin Small Bone Clamp







Rudisill Locking Small Bone Reduction Forcep

Designed by Ed Rudisill, MD

For reduction of hand phalanx and metacarpal fractures

MADE EXCLUSIVELY FOR INNOMED IN G E R M A N Y



#1385

Resnick Allis Bone Clamp

Designed by Charles T. Resnick MD

A traditional Allis Bone Clamp designed with a longer ratchet which allows for a wider opening to allow a bone to be clamped and locked onto

MADE FOR INNOMED IN GERMANY



Modification of design by Charles T. Resnick MD

A traditional Allis Bone Clamp designed with a longer ratchet—for a wider opening to allow a bone and plate to be clamped and locked onto-and coated end(s) to prevent from marring a component surface

USA MADE



K-Wire Bender/Cutter

Designed to bend a K-wire while extending from bone without applying mechanical strain, the K-wire only needs to extend 20 mm from the skin surface to be bent





Pin Puller - Small

Small size allows for use in a small incision to help with removal of a 2 mm or smaller k-wire pin






Stanton Bent Pin Removal Pliers

Designed by John Stanton, MD







































Designed by Irvin Oh, MD

A lamina spreader with long thin blades designed to retract the soleus muscle and soft tissue for isolation and exposure of the gastrocnemius fascia for release






Desai Clearview Open Blade Self-Retaining Retractor

Designed by Sarang Desai, DO

Open blade design allows clear visualization of soft tissue and neurovascular structures being retracted













Designed by K. Wapner, MD Used for lateral column













Gurbani Joint Distractor/Compressor

Designed by Naren G. Gurbani, MD

Versatile joint distractor/compressor provides 360° freedom for arthroscopic or open procedures of foot, ankle, hand, and wrist joints

Pin Hole Sizes: .15" (3,5 mm) and .182" (4,5 mm)





Monaco Small Space Retractor

Designed modified by Spencer Monaco, DPM, FACFAS


Designed to retract adipose tissue and surrounding soft tissue structures through a small incision for open plantar fasciotomies, neuroma excisions and the lateral release during bunion surgery

Also useful for various hand surgeries such as open carpal tunnel surgery.



FREE TRIAL ON MOST INSTRUMENTS







Wurapa Small Joint Compressor and Distractor Designed by Raymond K. Wurapa, MD


Designed to allow one-handed manipulation and deployment once fixation pins are placed



























#1837-R

#1837-L







Lawton Distal Radius Mini Frame & Blade Set

Designed by Jeffrey Lawton, MD

Designed for self-retaining exposure for distal radius and other small bone fractures










#1578-03

Large Blade





Auerbach Hand Positioner Set Designed by David Auerbach MD





Designed to position as well as retract the skin for all surgical exposures of the hand, wrist and forearm

Set #1747-00 Also Available Individually

Thumh Post



Thumb Post Clip














Beard Distal Radius Wide Hohmann Retractor

Designed by David Beard, MD

Designed for distal radius and diaphyseal fracture exposure, the wide blade design helps to protect soft tissues, and the curved handle helps provide improved access and visualization















Designed by Ron Kane. DPM

A short handled Army Navy retractor, especially useful with a gastrocnemius recession







Replacement Part: Retaining Screw #1425-14-B-COMP

Trephine Sizes in Internal Diameter

Handle

Basic Screw Removal System System designed to help remove damaged

and broken screws from 1.5 to 7.0 mm

Complete System with Case #2022-00

See Page 37 for more detailed information



One compact set featuring multiple tools needed to help remove damaged and broken screws.

- Screw Removal Pliers
- ► Sharp Hook
- ► T-Handle with AO-End
- ► Mini Lexer Gouges
- **►** Extraction Screws
- **►** Extraction Bolts ► Trephines
- ► Instruction Plate

MADE FOR INNOMED IN GERMANY

Universal Screw Removal Instrument System

Designed to remove solid and cannulated screws, and used for removal of stripped hex screws, buried screws, partial screws with broken screw heads , the drive end (A/O) is designed for easy and quick engagement with the universal instrument handle
















Chen Low Profile Plate/Bone Clamp

Designed by Franklin Chen, MD

Designed for fracture reduction as well as plate to bone clamping in diaphyseal forearm and humerus fractures

Also useful for distal radius and a variety of lower extremity fractures



The freely swiveling center arm allows for easy nlacement as well as for quick release, after getting the legs in position






Fracture Reduction Punch Clamp Designed by Jong-Keon Oh, MD

Designed for use in select cases when vertical (or sagittal) plane clamping is necessary during forearm reduction, humeral fracture reduction, or diaphyseal reduction of tibial shaft



Durkan Ratchet Bone Clamps

Design of ratcheting mechanism allows for quick tightening and release around the bone












Periarticular Reduction Forceps

Designed for reduction of intraarticular and periarticular fractures, the pointed ball tips help provide a secure hold in the bone despite minimal contact






















Beard IM Nail Guide Wire Clamp


Designed by David Beard, MD


Designed to help provide quick grasp-and-release of an IM guide wire for positioning and advancement along the length of the guide wire

For use with pins up to 4 mm.









Extended Scalpel Handle Designed by Richard Pelliccio, MD

Long thin scalpel handle used with knife blade to make a skin incision and cut through fascia to help seat trocars to bone

#10 blade normally used but choice of blade is at surgeons' discretion. Blade not included.



#3022









Extended Drill Sleeves Designed by Reza Firoozabadi, MD

Designed to help reduce fractures when k-wires are passed through, the extra long long drill sleeve helps to protect soft tissues and prevent the need for stacking two drill sleeves

Set of Three #3014-00

USA MADE

- > Serrated tips allow for better grip when drilling at an angle or when pushing a fracture fragment to assist with fracture reduction
- Sleeve can be used as a reduction aid with placement of a kirschner wire through sleeve
- Collaborated tips which allow placement of appropriate size drills for lagging by technique as an example a 2.5 end will fit into a 3.5 drill hole
























79

LISA MADE

OrthoLucent™ Carbon Fiber PEEK Retractors

The completely radiolucent carbon fiber PEEK material is strong, lightweight, can be steam sterilized, and helps to prevent from marring component surfaces.











Colinear advancement of harvester, without twisting separating tendon (under tension) from muscular attachment.


Harvester placed in isolated hamstring tendon after complete lysis of inferior fibrous bands.

Harvester in closed position capturing tendon, with nes anserinus attachment still intact.


Retrieved tendons. Graft length may be maximized by subsequently avulsing pes anserinus from its tibial attachment by distal traction. after both gracilis and semitendinosus tendons are harvested.

AK Fracture Reducer Designed by Byron McCord, MD

Designed to help reduce long bone fractures of the femur and tibia, especially helpful with shortened long bone fractures due to young, strong musculature in acute trauma, or neglected fractures due to overriding circumstances or late referral





















Insert passer

into guide to pass around

the bone



Passer #8300-02

Attach suture wire,

around the bone

then draw the passer/ suture wire back



Jackson Flat Top Traction Device


A table-top traction device designed for fracture fixation in the acetabulum, pelvis, and femur, the light-weight portable device attaches directly to





Distal Humerus Fracture Board Designed by Burk Young, MD

Designed for the pinning of pediatric supracondylar and adult distal humerus fractures without having to manually hold the fracture reduced, allowing the surgeon to focus on accurate pin placement and reduction









Fromm Femur & Tibia Triangles

Straps for 2760-XS Pkg of 10 #8120-SP

Designed by S.E. Fromm, MD.
Extra Small designed by S.E. Fromm, MD & Kenneth Merriman, MD









Sanders Extremity Positioning Tubes


Designed by Richard A. Sanders, MD

Designed to support the knee and ankle during lower extremity surgery













Push in and turn to achieve desire position, release to set

- Locks every 30° of rotation: push in and turn to acheive desire position, release to set
- Bone fragment ejector holes along the underside and on the tip
- Each ronguer comes with one Bone Push Rod, designed to push bone fragments out of the rorating rongeurs






Bone fragment ejector holes along the underside and on the tip of the barrel

Kerrison Punch with Small Grip Handle

Designed with the handle closer together for easier gripping and to help reduce hand fatigue, the punch helps to remove small portions of bone and soft tissue





Gupta Disc Space Spreaders with Easy Release Locking Mechanism

Designed to distract open collapsed disc spaces, the locking ratchet mechanism helps prevent accidental release, and provides for controlled adjustment and easy release




Ortho Self-Retaining Retractors

Calibrated ratchet is used to help accurately measure the size of opening — useful in procedures to help assess bone graft needs





- Features a no-teeth design, available with flat or serrated outside blades
 Also useful in knee replacement surgery to separate the femur and tibia, where the calibrated design can be used to help balance ligaments
- Also useful in foot & ankle surgery












FREE TRIAL ON MOST INSTRUMENTS












Stainless steel head and shaft with an aluminum handle with a right-handed grip

 Large and small striking heads with smooth surface
 Palmar side of the mallet features a flat surface to slide along a broach or impacting type instrument for back slapping and serves well as an additional striking surface







of a textured silicone that helps prevent the surgeon's gloved hand from slipping and helps maintain a solid grip





Large 1.75 lbs #**7815**

Jones Mallet

Designed by Dickie Jones, MD

Unique hand fitting shape provides superior gripping strength for accurate light to heavy impaction






Aluminum Tapered Maul/Mallet Large surface area allows


Large surface area allows the surgeon to focus on the action area of the instrument being struck, instead of making sure the mallet will strike the end of the instrument, much like a sculptors mallet



Articulated Measuring Device with Ruler Designed by Vincent Y. Ng, MD

A highly precise (within 1 mm) device designed for measuring distances between two points — can be used even if there are intervening structures like soft tissue or bone, and in situations where a straight ruler will not work










Modular Impactor Set

Makes multiple impactor heads easily visible and available

Complete Set #5370 Also Available Individually





















Delrin Insert PliersDesigned to grasp an implant for adjustment without marring the implant surface

Replacement Part:

Delrin Jaw Insert #2025-03

Includes top and bottom delrin jaws,
two screws and a hex wrench









Holding Tips

Drive a needle and cut a suture without changing instruments













MADE FOR INNOMED IN GERMANY



White Aspiration Handle

Designed by Edward White, MD

Designed for aspiration of cavities or spaces that have greater than 20 ml volume, such as joints, bone marrow, and the illiac crest

Works with a 60 ml syringe only. Syringe not included.





Gray Syringe Assist with Ergonomic Handle

Designed by Robert Gray, MD

For use in the O.R or the office, the design helps to prevent hand fatigue and pain when injecting with a 20mL syringe over multiple cases

Syringe not included.





Retractor Clip for Smoke Evacuation Tube

Designed by James Saucedo, MD

Repositionable stainless steel fastener designed to clip onto a retractor to help control the location of a smoke evacuation tube

Allows for use on a 1/8" thick material with allowance for a "spring" fit.





Cobb Elevators Two Sizes Available With or Without Teeth

Ultra hard titanium nitride coating helps to extend blade life by increasing surface hardness, prolonging sharpness, and resisting chemicals and corrosion.















MADE FOR INNOMED IN GERMANY













Table Clamps Designed to help clamp and hold a device to the table



For Use with these **Innomed Positioning Devices:**

- Auerbach Arm Holder Rake Retractor Set
- Freeman Arm Holder
- Kirschenbaum Foot Positioners
- Robb Leg Positioner
 Thornberry Large Patient Hip Positioner





- Capello Patient Positioner
- Direct Anterior Total Hip Arthroplasty Leg Positioner
- Durham Leg PositionerLeg Stabilizer
- Modified 90° Leg Stabilizer



#9120

#9125



Wixson Anterior Suspension Hook SystemChandran Thigh Lift Positioner





System designed to help remove damaged and broken screws from 1.5 to 7.0 mm



For 5.0/6.5/7.0 mm Screw #2024-06



COMPLETE CATALOG